




www.appliedscienceint.com

Applied Science International, LLC , 2012 T.W. Alexander Drive P. O. Box 13887 Durham, NC 27704

919-957-5400 // p 919-645-4085 // f

MEDITERRANEA srls – Seismic Elastomer Joints, GAE
INVITALIA Program BREVETTI+ CUP C56G20000110008
Phase B



Editor(s)	ASI – Applied Science International LLC		
Report Number			
Distribution	Restricted		
Issue date	November 23 rd , 2021	Creation date	October 29 th , 2021

CONFIDENTIAL

Reproduction of this document in any form without prior written authorization from Applied Science International, LLC is prohibited.

TABLE OF CONTENTS

1.	REFERENCE DOCUMENTS	13
2.	NUMERICAL MODEL	15
2.1.	MODEL OF THE SPRING REPRESENTING THE ELASTOMER	15
2.2.	MODEL OF THE SPRING REPRESENTING THE FRICTION PLATES	16
2.3.	COMBINED MODEL FOR ELASTOMER AND FRICTION PLATES	17
2.4.	FRICTION IN LOADING AND UNLOADING STAGES	19
3.	REFERENCE BUILDING	21
3.1.	GEOMETRY	21
3.1.1.	Structural details	24
3.2.	LOADS	26
3.2.1.	Seismic load	26
3.3.	TARGET DISPLACEMENT	28
3.4.	MATERIAL PROPERTIES	29
3.4.1.	Concrete	29
3.4.2.	Steel	29
4.	ANALYSIS RESULTS	30
4.1.	RESULTS IN AS-BUILT CONFIGURATION	30
4.2.	RESULTS IN RETROFITTED CONFIGURATION	31
4.3.	EC8 SPECTRUM BASED TIME HISTORY, INCREASED BY A FACTOR OF 2	32
4.4.	EC8 SPECTRUM BASED TIME HISTORY, INCREASED BY A FACTOR OF 2.5 AND 3	40
4.5.	EFFECT OF PRESTRESS	48
4.6.	FINAL RETROFITTING PARAMETERS FOR THE REFERENCE BUILDING	53
5.	CONCLUSION	58
6.	APPENDIX	60
6.1.	FORCES DEVELOPED IN THE SEISMIC DEVICES	60

LIST OF FIGURES

Figure 1 – Structural plan of ground and first level	21
Figure 2 – Structural plan of second and third level	22
Figure 3 – Structural plan of fourth and fifth level	22
Figure 4 – Numerical model of the reference building	23
Figure 5 – Numerical model of the reference building with the seismic devices	23
Figure 6 – Structural detail provided by Mediterranea srls for the ground and first level and corresponding AEM structural detail	24
Figure 7 – Structural detail provided by Mediterranea srls for the second and third level and corresponding AEM structural detail	24
Figure 8 – Structural detail provided by Mediterranea srls for the fourth and fifth level and corresponding AEM structural detail	25
Figure 9 – AEM structural detail of the girders	25
Figure 10 – AEM structural detail of the system joists plus slab	26
Figure 11 – Interstorey drift limits based on FEMA 356 global-level criteria [%]	28
Figure 12 – EC8 ag=0.35g record, maximum displacements of the building in as-built configuration	30
Figure 13 – 3D view of the first arrangement for the devices	31
Figure 14 – EC8 ag=0.35g record, maximum displacements of the building in retrofitted configuration	32
Figure 15 – EC8 x3 – Drift limit at collapse	41
Figure 16 – EC8 x3 – Collapse behavior	41
Figure 17 – EC8 x3 – Drift limit at collapse, retrofitted configuration for k=10k	42
Figure 18 – EC8 x3 – Collapse behavior, retrofitted configuration for k=10k	42
Figure 19 – Test of prestressing in X bracing and single bracing configuration, x2.5 EC8 time history applied in X direction only	51
Figure 20 – Principal stresses envelop for the 2k configuration considering the x2.5 EC8 time history and a Prestress force equal to 0.245t	55

LIST OF TABLES

Table 1 – Properties of the spring representing the Elastomer	15
Table 2 – Derivation of the Young Modulus for the given stiffnesses	16
Table 3 – Properties of the spring representing the Friction plates	17
Table 4 – Derivation of the Yield stress for each of the three considered Seismic Devices	17
Table 5 – Material properties of concrete	29
Table 6 – Material properties of steel	29
Table 7 – Assumed seismic devices properties	32
Table 8 – Reference stiffnesses for the considered 2D frame of Phase A and B buildings and retrofitted systems	37

LIST OF VIDEOS

Video 1 – Constitutive model representing the elastomer 15

Video 2 – Constitutive model representing the friction plates 17

Video 3 – Combined behavior of the spring representing the elastomer and the spring representing the friction plates 18

Video 4 – Loading and unloading constitutive model for friction plates, Test model analysis 20

Video 5 – Stress-strain charts for one of the 1t/mm device installed at the ground floor during the non-linear dynamic analysis..... 38

Video 6 – x2.5 EC8 time history analysis in the as-built configuration..... 53

Video 7 – x2.5 EC8 time history analysis in the 2k retrofitted configuration 54

Video 8 – x2.5 EC8 time history analysis in the 2k retrofitted configuration, prestress force equal to 0,245t..... 54